

WEST Search History

DATE: Wednesday, March 23, 2005

Hide?	Set Name	Query	Hit Count
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	Hjelmeland.IN.	17
<input type="checkbox"/>	L4	Hjelmeland-Leonard.IN.	0
<input type="checkbox"/>	L3	Hjelmeland-Leonard-M.IN.	1
<input type="checkbox"/>	L2	Helmeland-Leonard-M.IN.	0
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L1	(4372888)	23

END OF SEARCH HISTORY

Hit List

[Clear](#)[Generate Collection](#)[Print](#)[Fwd Refs](#)[Bkwd Refs](#)[Generate OACS](#)

Search Results - Record(s) 1 through 23 of 23 returned.

☐ 1. Document ID: US 6610866 B2

L1: Entry 1 of 23

File: USPT

Aug 26, 2003

US-PAT-NO: 6610866

DOCUMENT-IDENTIFIER: US 6610866 B2

**** See image for Certificate of Correction ****

TITLE: Stereoselective synthesis of 24-hydroxylated compounds useful for the preparation of aminosterols, vitamin D analogs, and other compounds

DATE-ISSUED: August 26, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Kinney; William A.	Richboro	PA		
Jones; Steven	West Chester	PA		
Zhang; Xuehai	E. Norriton	PA		
Rao; Meena N.	Lansdale	PA		
Bulliard; Michel	Angers			FR
Meckler; Harold	Delmar	NY		
Lee; Nancy	Foxboro	MA		

US-CL-CURRENT: 552/502; 552/521, 552/610, 552/611, 552/623, 552/633, 552/634, 552/636, 552/637, 568/579, 568/583, 568/591

ABSTRACT:

A method is described for stereoselectively reducing an unsaturated alkyl ketone substituent attached to a fused ring base. In this method, the unsaturated alkyl ketone reacts with a chiral oxazaborolidine reagent. This reaction stereoselectively reduces the unsaturated alkyl ketone to an unsaturated alkyl alcohol. The unsaturated alkyl alcohol can be further reduced, if desired, to produce a saturated alkyl alcohol. The fused ring base can be, for example, a steroid ring base or a base of a vitamin D analog. The process in accordance with the invention can be used with an alkeneone substituent (e.g., a 22-ene-24-one substituent) or an alkyneone substituent (e.g., a 22-yne-24-one substituent) on a steroid ring base to make squalamine or other useful aminosterol compounds and intermediates for making aminosterol compounds.

22 Claims, 29 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 19

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

□ 2. Document ID: US 6596712 B2

L1: Entry 2 of 23

File: USPT

Jul 22, 2003

US-PAT-NO: 6596712

DOCUMENT-IDENTIFIER: US 6596712 B2

TITLE: Treatment of carcinomas using squalamine in combination with other anti-cancer agents or modalities

DATE-ISSUED: July 22, 2003

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Williams; Jon	Robbinsville	NJ		
Sokoloff; Mitchell H.	Charlottesville	VA		

US-CL-CURRENT: 514/171; 514/182

ABSTRACT:

A method for treating a tumor includes a first treatment procedure using a conventional cancer treatment technique, and a second treatment procedure which includes administering an effective amount of squalamine. Synergistically effective amounts are preferred. The first treatment procedure may be a treatment with one or more conventional cytotoxic chemical compounds. As examples, the cytotoxic chemical compound may be a nitrosourea (such as BCNU), cyclophosphamide, doxorubicin, 5-fluorouracil, paclitaxel and its derivatives, cisplatin or other platinum containing cancer treating agents. Alternatively, the first treatment may be a treatment with one or more conventional anti-hormonal agents. As examples, the anti-hormonal agents may be a LHRH (luteinizing hormone releasing hormone) agonist or an anti-androgen such as flutamide, bicalutamide, nilutamide, and luprolide. These conventional cancer treatments compounds and the squalamine may be administered by any suitable route. The first treatment procedure may take place prior to the second treatment procedure, after the second treatment procedure, or the two treatment procedures may take place simultaneously. As an alternative, the first treatment procedure may be a conventional radiation treatment regimen. As a further alternative the first treatment procedure may be a combination of treatment with one or more conventional cytotoxic chemical compounds and a conventional radiation treatment regimen.

14 Claims, 22 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 17

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 3. Document ID: US 6262283 B1

L1: Entry 3 of 23

File: USPT

Jul 17, 2001

US-PAT-NO: 6262283

DOCUMENT-IDENTIFIER: US 6262283 B1

TITLE: Stereoselective synthesis of 24-hydroxylated compounds useful for the preparation of aminosterols, vitamin D analogs, and other compounds

DATE-ISSUED: July 17, 2001

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Kinney; William A.	Richboro	PA		
Jones; Steven	West Chester	PA		
Zhang; Xuehai	E. Norriton	PA		
Rao; Meena N.	Lansdale	PA		
Bulliard; Michel	Angers			FR
Meckler; Harold	Delmar	NY		
Lee; Nancy	Foxboro	MA		

US-CL-CURRENT: 552/521

ABSTRACT:

A method is described for stereoselectively reducing an unsaturated alkyl ketone substituent attached to a fused ring base. In this method, the unsaturated alkyl ketone reacts with a chiral oxazaborolidine reagent. This reaction stereoselectively reduces the unsaturated alkyl ketone to an unsaturated alkyl alcohol. The unsaturated alkyl alcohol can be further reduced, if desired, to produce a saturated alkyl alcohol. The fused ring base can be, for example, a steroid ring base or a base of a vitamin D analog. The process in accordance with the invention can be used with an alkeneone substituent (e.g., a 22-ene-24-one substituent) or an alkyneone substituent (e.g., a 22-yne-24-one substituent) on a steroid ring base to make squalamine or other useful aminosterol compounds and intermediates for making aminosterol compounds.

11 Claims, 29 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 19

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw. D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	---------

☐ 4. Document ID: US 6147060 A

L1: Entry 4 of 23

File: USPT

Nov 14, 2000

US-PAT-NO: 6147060

DOCUMENT-IDENTIFIER: US 6147060 A

TITLE: Treatment of carcinomas using squalamine in combination with other anti-cancer agents

DATE-ISSUED: November 14, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Williams; Jon	Robbinsville	NJ		

US-CL-CURRENT: 514/110; 424/649, 514/171, 514/34, 514/589

ABSTRACT:

A method for treating a tumor includes a first treatment procedure using a conventional cancer treatment technique, and a second treatment procedure which includes administering an effective amount of squalamine. The first treatment procedure may be a treatment with one or more conventional cytotoxic chemical compounds. As examples, the cytotoxic chemical compound may be a nitrosourea (such as BCNU), cyclophosphamide, adriamycin, 5-fluorouracil, paclitaxel and its derivatives, cisplatin or other platinum containing cancer treating agents. The cytotoxic chemical compound and the squalamine may be administered by any suitable route. The first treatment procedure may take place prior to the second treatment procedure, after the second treatment procedure, or the two treatment procedures may take place simultaneously. In one example, the first treatment procedure (e.g., a one time intravenous dosage of BCNU) is completed before the second treatment procedure with squalamine begins. As an alternative, the first treatment procedure may be a conventional radiation treatment regimen.

20 Claims, 15 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 14

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequence	Attachments	Claims	KWC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	----------	-------------	--------	-----	--------

☐ 5. Document ID: US 6143738 A

L1: Entry 5 of 23

File: USPT

Nov 7, 2000

US-PAT-NO: 6143738

DOCUMENT-IDENTIFIER: US 6143738 A

TITLE: Therapeutic uses for an aminosterol compound

DATE-ISSUED: November 7, 2000

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		

US-CL-CURRENT: 514/181; 514/178, 514/182

ABSTRACT:

A pharmaceutical composition includes, as an active ingredient, a compound according to formula 1436 as shown in FIG. 1, or a pharmaceutically acceptable salt thereof, and a pharmaceutically acceptable carrier or excipient. Various pharmaceutical products may be produced including this pharmaceutical composition. Such pharmaceutical products may be used for the treatment of cancers, such as leukemia; inflammation; arthritis; and viruses, such as HSV. Methods for using the pharmaceutical compositions also are described. In these methods, various diseases are treated or other body functions are activated or inhibited by administering an effective amount of the pharmaceutical composition. For example, inflammation, arthritis, herpes simplex virus, melanoma, and leukemia may be treated by administering an effective amount of the pharmaceutical compositions. Viral replication, weight gain, and growth factor production can be inhibited by administering an effective amount of these pharmaceutical compositions. Appetite can be suppressed by administering an effective amount of the pharmaceutical compositions, and a diuretic effect can be produced.

16 Claims, 31 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 25

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

□ 6. Document ID: US 5994336 A

L1: Entry 6 of 23

File: USPT

Nov 30, 1999

US-PAT-NO: 5994336

DOCUMENT-IDENTIFIER: US 5994336 A

TITLE: Method of inhibiting proliferation of cells by administering an aminosterol compound

DATE-ISSUED: November 30, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Shinnar; Ann	Teaneck	NJ		
Kinney; William	Churchville	PA		
Rao; Meena	Horsham	PA		

US-CL-CURRENT: 514/182

ABSTRACT:

A method of inhibiting the proliferation of a wide variety of cells is described. This method includes administering an effective amount of a compound having the following structure: ##STR1## or a pharmaceutically acceptable salt thereof. The proliferation of the following types of cells can be inhibited by this method: lymphocytes, fibroblasts, epithelial cells, smooth muscle cells, and human ovarian cancer cells.

8 Claims, 27 Drawing figures
Exemplary Claim Number: 1
Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 7. Document ID: US 5874597 A

L1: Entry 7 of 23

File: USPT

Feb 23, 1999

US-PAT-NO: 5874597
DOCUMENT-IDENTIFIER: US 5874597 A

TITLE: Certain aminosterol compounds and pharmaceutical compositions including these compounds

DATE-ISSUED: February 23, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Jones; Steven	West Chester	PA		

US-CL-CURRENT: 552/521

ABSTRACT:

Aminosterol compounds are described that are useful as inhibitors of the sodium/proton exchanger (NHE). Methods of using such aminosterols compounds are also enclosed, including those employing compounds that are inhibitors of a spectrum of NHEs as well as those using compounds that are inhibitors of only one specific NHE. Advantageous screening techniques and assays for evaluating a compound's therapeutic activity are also disclosed.

5 Claims, 27 Drawing figures
Exemplary Claim Number: 1
Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 8. Document ID: US 5856535 A

L1: Entry 8 of 23

File: USPT

Jan 5, 1999

US-PAT-NO: 5856535
DOCUMENT-IDENTIFIER: US 5856535 A

TITLE: Aminosterol ester compounds

DATE-ISSUED: January 5, 1999

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Kinney; William	Richboro	PA		
Jones; Steven	West Chester	PA		

US-CL-CURRENT: 552/521; 540/106

ABSTRACT:

An aminosterol compound according to the following formula: ##STR1## wherein:
R.sub.1 is a member selected from the group of: ##STR2## R.sub.2 is H or OH;
R.sub.3 is H or OH;

R.sub.4 is H or OH; and

R.sub.5 is a C.sub.1 to C.sub.12 alkyl group.

Preferably, R.sub.5 is a C.sub.1 to C.sub.6 alkyl group, and a methyl group is particularly preferred.

15 Claims, 0 Drawing figures
Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMNC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 9. Document ID: US 5847172 A

L1: Entry 9 of 23

File: USPT

Dec 8, 1998

US-PAT-NO: 5847172

DOCUMENT-IDENTIFIER: US 5847172 A

**** See image for Certificate of Correction ****

TITLE: Certain aminosterol compounds and pharmaceutical compositions including these compounds

DATE-ISSUED: December 8, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Shinnar; Ann	Teaneck	NJ		
Kinney; William	Churchville	PA		
Jones; Steven	West Chester	PA		

US-CL-CURRENT: 552/521

ABSTRACT:

Aminosterol compounds are described that are useful as inhibitors of the

sodium/proton exchanger (NHE). Methods of using such aminosterols compounds are also enclosed, including those employing compounds that are inhibitors of a spectrum of NHEs as well as those using compounds that are inhibitors of only one specific NHE. Advantageous screening techniques and assays for evaluating a compound's therapeutic activity are also disclosed.

10 Claims, 27 Drawing figures
Exemplary Claim Number: 1
Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 10. Document ID: US 5840936 A

L1: Entry 10 of 23

File: USPT

Nov 24, 1998

US-PAT-NO: 5840936

DOCUMENT-IDENTIFIER: US 5840936 A

TITLE: Aminosterol compounds useful as inhibitors of the sodium/proton exchanger (NHE)

DATE-ISSUED: November 24, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Shinnar; Ann	Teaneck	NJ		
Rao; Meena	Horsham	PA		
Kinney; William	Churchville	PA		

US-CL-CURRENT: 552/521; 558/29

ABSTRACT:

Aminosterol compounds are described that are useful as inhibitors of the sodium/proton exchanger (NHE). Methods of using such aminosterols compounds are also enclosed, including those employing compounds that are inhibitors of a spectrum of NHEs as well as those using compounds that are inhibitors of only one specific NHE. Advantageous screening techniques and assays for evaluating a compound's therapeutic activity are also disclosed.

10 Claims, 27 Drawing figures
Exemplary Claim Number: 1
Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 11. Document ID: US 5840740 A

L1: Entry 11 of 23

File: USPT

Nov 24, 1998

US-PAT-NO: 5840740

DOCUMENT-IDENTIFIER: US 5840740 A

TITLE: Aminosterol compounds and a method of treating infection using the aminosterol compounds

DATE-ISSUED: November 24, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Shinnar; Ann	Teaneck	NJ		
Kinney; William	Churchville	PA		
Rao; Meena	Horsham	PA		

US-CL-CURRENT: 514/182; 552/521

ABSTRACT:

Disclosed are aminosterol compounds 1360 and 1361: ##STR1## which can be obtained in isolated or purified form from the liver of the dogfish shark.

16 Claims, 27 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 12. Document ID: US 5795885 A

L1: Entry 12 of 23

File: USPT

Aug 18, 1998

US-PAT-NO: 5795885

DOCUMENT-IDENTIFIER: US 5795885 A

**** See image for Certificate of Correction ****

TITLE: Method of inhibiting proliferation of cells by administering an aminosterol compound

DATE-ISSUED: August 18, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		
Shinnar; Ann	Teaneck	NJ		
Kinney; William	Churchville	PA		
Anderson; Mark	Norristown	PA		
Williams; Jon	Robbinsville	NJ		

McLane; Michael

Lansdale

PA

US-CL-CURRENT: 514/182

ABSTRACT:

Aminosterol compounds are described that are useful as inhibitors of the sodium/proton exchanger (NHE). Methods of using such aminosterols compounds are also disclosed, including those employing compounds that are inhibitors of a spectrum of NHEs as well as those using compounds that are inhibitors of only one specific NHE. Advantageous screening techniques and assays for evaluating a compound's therapeutic activity are also disclosed.

5 Claims, 27 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	References	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	------------	-------------	--------	------	--------

☐ 13. Document ID: US 5792635 A

L1: Entry 13 of 23

File: USPT

Aug 11, 1998

US-PAT-NO: 5792635

DOCUMENT-IDENTIFIER: US 5792635 A

TITLE: Method of inhibiting the sodium/proton exchanger NHE3 and method of inhibiting growth by administering squalamine

DATE-ISSUED: August 11, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		

US-CL-CURRENT: 435/184; 514/182, 552/521

ABSTRACT:

Aminosterol compounds are described that are useful as inhibitors of the sodium/proton exchanger (NHE). Methods of using such aminosterols compounds are also disclosed, including those employing compounds that are inhibitors of a spectrum of NHEs as well as those using compounds that are inhibitors of only one specific NHE. Advantageous screening techniques and assays for evaluating a compound's therapeutic activity are also disclosed.

8 Claims, 27 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	References	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	------------	-------------	--------	------	--------

☐ 14. Document ID: US 5763430 A

L1: Entry 14 of 23

File: USPT

Jun 9, 1998

US-PAT-NO: 5763430

DOCUMENT-IDENTIFIER: US 5763430 A

TITLE: Method of treating a viral infection by administering a steroid compound

DATE-ISSUED: June 9, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Zasloff; Michael	Merion Station	PA		

US-CL-CURRENT: [514/169](#), [514/170](#), [514/171](#), [514/172](#), [514/173](#), [514/174](#), [514/175](#), [514/176](#), [514/177](#), [514/178](#), [514/179](#), [514/180](#), [514/181](#), [514/182](#)

ABSTRACT:

A method of treating a viral infection includes administering an effective amount of a compound having the following structure: ##STR1## or a pharmaceutically acceptable salt thereof. This compound treats the viral infection by suppressing the growth of a viral target cell. As one specific example, this compound may be used to treat HIV infection.

5 Claims, 27 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 20

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequence	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	----------	-------------	--------	------	--------

☐ 15. Document ID: US 5733899 A

L1: Entry 15 of 23

File: USPT

Mar 31, 1998

US-PAT-NO: 5733899

DOCUMENT-IDENTIFIER: US 5733899 A

TITLE: Method for treating infection using steroid based pharmaceutical compositions

DATE-ISSUED: March 31, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Frye; Leah L.	Ravena	NY		
Zasloff; Michael A.	Merion Station	PA		
Kinney; William A.	Churchill	PA		

Moriarty; Robert Oak Park IL
Collins; Delwood C. Lexington KY

US-CL-CURRENT: [514/169](#); [514/172](#), [514/176](#), [514/182](#)

ABSTRACT:

A method of treating a bacterial or fungal infection in a patient by administering an effective amount of a compound of Formula (III): ##STR1## wherein, the substituents are as defined in the specification.

9 Claims, 0 Drawing figures
Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	--------

☐ 16. Document ID: US 5721226 A

L1: Entry 16 of 23

File: USPT

Feb 24, 1998

US-PAT-NO: 5721226

DOCUMENT-IDENTIFIER: US 5721226 A

**** See image for Certificate of Correction ****

TITLE: Method for inhibiting angiogenesis using squalamine and squalamine steroid derivatives

DATE-ISSUED: February 24, 1998

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Frye; Leah L.	Ravena	NY		
Zasloff; Michael A.	Merion Station	PA		
Kinney; William A.	Churchill	PA		
Moriarty; Robert	Oak Park	IL		
Collins; Delwood C.	Lexington	KY		

US-CL-CURRENT: [514/169](#); [514/170](#), [514/171](#), [514/172](#), [514/173](#), [514/174](#), [514/175](#), [514/176](#), [514/177](#), [514/178](#), [514/179](#), [514/180](#), [514/181](#), [514/182](#)

ABSTRACT:

A method of inhibiting angiogenesis in a patient includes administering to the patient an effective amount of squalamine or a pharmaceutically acceptable salt of squalamine. Alternatively, a compound according to the following Formula (III) (or a pharmaceutically acceptable salt thereof) can be administered: ##STR1## wherein Z.sub.5 is .alpha.-H or .beta.-H; each of the substituents Z.sub.7 is selected from the group of --H, --OH, --SH, --NH.sub.2, --F, --(C.sub.1 -C.sub.3)-alkyl, and --(C.sub.1 -C.sub.3)-alkoxy; and one of the substituents Z.sub.12 is --H and the other is --H or --OH. X' is a polyamine side chain of the formula --X.sub.1 --(CH.sub.2).sub.p --X.sub.2 --(CH.sub.2).sub.q --N(R.sup.II)(R.sup.III), wherein one of X.sub.1 and X.sub.2 is --N(R.sup.IV) and the other is selected from the group of

--N(R.sup.V), --O, --S, and --CH.sub.2. R.sup.IV and R.sup.V are each --H or --(C.sub.1 -C.sub.3)-alkyl, p and q are each an integer of from 0 to 5 (but both are not 0). R.sup.II and R.sup.III in the formula for X' are each --H, --(C.sub.1 -C.sub.3)-alkyl, or --(CH.sub.2).sub.r --N(R.sub.10)(R.sub.11) wherein r is an integer from 2 to 5 and R.sub.10 and R.sub.11 are each --H or --(C.sub.1 -C.sub.3)-alkyl. R' in Formula (III) is --H or --(C.sub.1 -C.sub.3)-alkyl, and Y' is --(C.sub.1 -C.sub.10)-alkyl, unsubstituted or substituted with --CO.sub.2 H, --OH, --NH--SO.sub.2 CF.sub.3, --SO.sub.3 H, --PO.sub.3 H.sub.2, --OSO.sub.3 H, --CF.sub.3, --F, ##STR2##

12 Claims, 0 Drawing figures
Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KMC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	-----	--------

□ 17. Document ID: US 5637691 A

L1: Entry 17 of 23

File: USPT

Jun 10, 1997

US-PAT-NO: 5637691

DOCUMENT-IDENTIFIER: US 5637691 A

**** See image for Certificate of Correction ****

TITLE: Steroid derivatives, pharmaceutical compositions containing them, and their use as antibiotics or disinfectants

DATE-ISSUED: June 10, 1997

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Frye; Leah L.	Ravena	NY		
Zasloff; Michael A.	Merion Station	PA		
Kinney; William A.	Churchville	PA		
Moriarty; Robert	Oak Park	IL		

US-CL-CURRENT: 540/106, 540/108, 552/506, 552/507, 552/521, 552/524, 552/540, 552/542, 552/544, 552/548, 552/550, 552/551, 552/552, 552/554, 552/557, 552/559, 552/582, 552/583, 552/584, 552/599, 552/609

ABSTRACT:

Compounds having a broad range of antimicrobial activity generally have a structure including asteroid nucleus with a cationic, preferably polyamine, side chain (X) and an anionic side chain (Y). The invention is also directed to compounds of the Formula III: ##STR1## preferably where the steroid ring nucleus is saturated; the steroid ring substituent Z.sub.5 is .alpha.-H; one Z.sub.7 is .beta.-H and the other is .alpha.-H or .alpha.-OH; both substituents Z.sub.12 are hydrogen; X' is a polyamine side chain of the formula --NH--(CH.sub.2).sub.p --NH--(CH.sub.2).sub.q --N(R.sup.II)(R.sup.III) where p and q are each independently 3 or 4, and R.sup.II and R.sup.III are each independently hydrogen or methyl; R' is methyl; and Y' is (C.sub.1 -C.sub.10)-alkyl substituted with a group such as --CO.sub.2 H or --SO.sub.3 H.

11 Claims, 0 Drawing figures
Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 18. Document ID: US 5354934 A

L1: Entry 18 of 23

File: USPT

Oct 11, 1994

US-PAT-NO: 5354934
DOCUMENT-IDENTIFIER: US 5354934 A

TITLE: Pulmonary administration of erythropoietin

DATE-ISSUED: October 11, 1994

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Pitt; Colin G.	Thousand Oaks	CA		
Platz; Robert M.	Half Moon Bay	CA		

US-CL-CURRENT: 514/8; 424/499, 424/85.1

ABSTRACT:

Erythropoietin (EPO) can be delivered systemically in therapeutically or prophylactically effective amounts by pulmonary administration using a variety of pulmonary delivery devices, including nebulizers, metered dose inhalers and powder inhalers. Aerosol administration of EPO in accordance with this invention results in significant elevation of red blood cell levels. EPO can be administered in this manner to medically treat or prevent anemia, as well as to treat or prevent other maladies related to erythropoiesis.

21 Claims, 4 Drawing figures
Exemplary Claim Number: 1
Number of Drawing Sheets: 4

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 19. Document ID: US 5136026 A

L1: Entry 19 of 23

File: USPT

Aug 4, 1992

US-PAT-NO: 5136026
DOCUMENT-IDENTIFIER: US 5136026 A

TITLE: Process for removing toxins from protein solutions

DATE-ISSUED: August 4, 1992

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Romisch; Jurgen	Marburg			DE
Heimbürger; Norbert	Marburg			DE

US-CL-CURRENT: 530/416; 530/380, 530/394, 530/395, 530/412

ABSTRACT:

A process for removing toxins from solutions of proteins, in which an aqueous solution of a protein which contains a buffer substance, a chelating agent and a detergent is subjected to an ion exchange chromatography, is described.

9 Claims, 0 Drawing figures

Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 20. Document ID: US 4994439 A

L1: Entry 20 of 23

File: USPT

Feb 19, 1991

US-PAT-NO: 4994439

DOCUMENT-IDENTIFIER: US 4994439 A

TITLE: Transmembrane formulations for drug administration

DATE-ISSUED: February 19, 1991

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Longenecker; John P.	Mountain View	CA		
Ennis; Richard	Fremont	CA		
Baldwin; Patricia A.	Hayward	CA		
Lee; William A.	Los Altos	CA		

US-CL-CURRENT: 514/3; 424/45, 514/171, 514/2, 514/808, 514/922, 514/947, 514/958, 514/975

ABSTRACT:

Compositions for the administration of protein or peptide drugs across membranes show low toxicity and efficient permeation when the medium is a mixture of a bile salt or fusidate with a nonionic detergent. Various specific compositions are exemplified.

23 Claims, 8 Drawing figures

Exemplary Claim Number: 1

Number of Drawing Sheets: 8

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 21. Document ID: US 4608347 A

L1: Entry 21 of 23

File: USPT

Aug 26, 1986

US-PAT-NO: 4608347

DOCUMENT-IDENTIFIER: US 4608347 A

**** See image for Certificate of Correction ****

TITLE: Compositions, uses and methods creating reverse micelles for the clarification of biological fluids to obtain undistorted assay of analytes following clarification

DATE-ISSUED: August 26, 1986

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Bernstam; Victor A.	Ann Arbor	MI	48104	

US-CL-CURRENT: 436/175; 436/17, 436/8, 436/825, 516/20, 516/DIG.1, 516/DIG.3, 516/DIG.5

ABSTRACT:

Compositions and methods are provided for clarifying and partitioning aqueous lipid-containing specimens or samples such as lipemic serum and plasma. The compositions contain zwitterionic surfactant and water-immiscible organic solvent for lipids. The components of the compositions are selected such that they are compatible in vitro and, when constituted with aqueous specimens, do not interfere with biological or chemical activity of endogenous and exogenous analytes present in the respective specimens. The methods serve to partition the specimens into discrete aqueous and non-aqueous phases. The phases in turn can be individually assayed with respect to any of various analytes, for diagnostic or other purposes.

22 Claims, 1 Drawing figures

Exemplary Claim Number: 7,16

Number of Drawing Sheets: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 22. Document ID: US 4560512 A

L1: Entry 22 of 23

File: USPT

Dec 24, 1985

US-PAT-NO: 4560512

DOCUMENT-IDENTIFIER: US 4560512 A

TITLE: Derivatives of steroid compounds linked to cytotoxic agents

DATE-ISSUED: December 24, 1985

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Firestone; Raymond A.	Fanwood	NJ		

US-CL-CURRENT: 552/552; 536/6.4, 540/108, 540/112, 552/546, 552/554, 552/555

ABSTRACT:

The present application is concerned with compounds useful as carriers of cytotoxic agents. More particularly it deals with derivatives of steroid compounds having a 5-androstene carbon skeleton and having an oleyl ester at the 3-position and having a 17-carbamyl alkyl substituent which linked to cytotoxic agents for delivery to cancer cells exclusively via the low-density lipoprotein (LDL) pathway.

6 Claims, 0 Drawing figures
Exemplary Claim Number: 1

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

☐ 23. Document ID: US 4372888 A

L1: Entry 23 of 23

File: USPT

Feb 8, 1983

US-PAT-NO: 4372888

DOCUMENT-IDENTIFIER: US 4372888 A

TITLE: Nondenaturing zwitterionic detergents

DATE-ISSUED: February 8, 1983

INVENTOR-INFORMATION:

NAME	CITY	STATE	ZIP CODE	COUNTRY
Hjelmeland; Leonard M.	Bethesda	MD		

US-CL-CURRENT: 552/550; 510/498, 510/499, 540/110, 564/193

ABSTRACT:

A nondenaturing zwitterionic detergent for proteins which, for example, consists of an effective amount of 3-[(3-chloamidopropyl)dimethylammonio]-1-propanesulfonate (CHAPS). This detergent is of extreme interest in the biological study of proteins due to its nondenaturing characteristic. Other examples of the group may be prepared from different alicyclic compounds, for example, utilizing cholic acid and in others deoxycholic acid and dehydroabiatic acid. A process for the preparation of these compounds starts with cholic or the equivalent and from this is prepared the triethylammonium salt in tetrahydrofuran (THF). After the salt is completely dissolved in THF, ethyl chloroformate is added and the flask cooled to 0.degree. C. Then the mixed anhydride which forms is reacted with dimethylaminopropylamine to form the dimethylaminopropyl derivative of a carboxylic acid amide. Finally, the tertiary amine group is reacted with propanesultone to give the sulfobetaine product.

An improved procedure for preparation of these compounds and especially for the

last step (as for CHAPSO) to react the N-(3-dimethylaminopropyl)cholamide with sodium-1-chloro-2-hydroxy-3-propanesulfonate.

6 Claims, 2 Drawing figures

Exemplary Claim Number: 1,6

Number of Drawing Sheets: 2

Full	Title	Citation	Front	Review	Classification	Date	Reference	Sequences	Attachments	Claims	KWIC	Draw D
------	-------	----------	-------	--------	----------------	------	-----------	-----------	-------------	--------	------	--------

Clear	Generate Collection	Print	Fwd Refs	Bkwd Refs	Generate OACS
-------	---------------------	-------	----------	-----------	---------------


Terms	Documents
(4372888)	23

Display Format: REV Change Format

[Previous Page](#)

[Next Page](#)

[Go to Doc#](#)

[All Databases](#)[PubMed](#)[Nucleotide](#)[Protein](#)[Genome](#)[Structure](#)[OMIM](#)[PMC](#)[Journal](#)Search for [Limits](#)[Preview/Index](#)[History](#)[Clipboard](#)[Details](#)[About Entrez](#)[Text Version](#)[Entrez PubMed](#)[Overview](#)[Help | FAQ](#)[Tutorial](#)[New/Noteworthy](#)[E-Utilities](#)[PubMed](#)[Services](#)[Journals](#)[Database](#)[MeSH Database](#)[Single Citation](#)[Matcher](#)[Batch Citation](#)[Matcher](#)[Clinical Queries](#)[LinkOut](#)[My NCBI](#)[\(Cubby\)](#)[Related](#)[Resources](#)[Order](#)[Documents](#)[NLM Catalog](#)[NLM Gateway](#)[TOXNET](#)[Consumer Health](#)[Clinical Alerts](#)[ClinicalTrials.gov](#)[PubMed Central](#)All: 9 Review: 1

Items 1 - 9 of 9

One page

☐ 1: [Plastaras JP, Guengerich FP, Nebert DW, Marnett LJ.](#) [Related Articles, LinkOut](#)

Xenobiotic-metabolizing cytochromes P450 convert prostaglandin endoperoxide to hydroxyheptadecatrienoic acid and the mutagen, malondialdehyde.
J Biol Chem. 2000 Apr 21;275(16):11784-90.
PMID: 10766802 [PubMed - indexed for MEDLINE]

☐ 2: [Walters E, Buchheit K, Maruniak JA.](#) [Related Articles, LinkOut](#)

Olfactory cytochrome P-450 immunoreactivity in mice is altered by dichlobenil but preserved by metyrapone.
Toxicology. 1993 Jul 28;81(2):113-22.
PMID: 8378937 [PubMed - indexed for MEDLINE]

☐ 3: [Reidy GF, Murray M.](#) [Related Articles, LinkOut](#)

In vitro inhibition of hepatic steroid hydroxylation by tamoxifen, a series of tamoxifen analogues and related compounds.
Biochem Pharmacol. 1989 Jan 1;38(1):195-9.
PMID: 2910300 [PubMed - indexed for MEDLINE]

☐ 4: [Tuteja N, Gonzalez FJ, Nebert DW.](#) [Related Articles, LinkOut](#)

An example of P-450 catalytic activities not correlated with corresponding P-450 mRNA concentrations.
Biochem Pharmacol. 1986 Feb 15;35(4):718-20. No abstract available.
PMID: 3947403 [PubMed - indexed for MEDLINE]

☐ 5: [Haniu M, Ryan DE, Levin W, Shively JE.](#) [Related Articles, LinkOut](#)

The primary structure of cytochrome P-450d purified

from rat liver microsomes: prediction of helical regions and domain analysis.

Arch Biochem Biophys. 1986 Jan;244(1):323-37.

PMID: 3947063 [PubMed - indexed for MEDLINE]

☐ **6:** [Nebert DW, Eisen HJ, Hankinson O.](#) [Related Articles](#), [Link](#)



The Ah receptor: binding specificity only for foreign chemicals?

Biochem Pharmacol. 1984 Mar 15;33(6):917-24. Review.

PMID: 6324804 [PubMed - indexed for MEDLINE]

☐ **7:** [Lubet RA, Connolly G, Kouri RE, Nebert DW, Bigelow SW.](#) [Related Articles](#), [Link](#)



Biological effects of the Sudan dyes. Role of the Ah cytosolic receptor.

Biochem Pharmacol. 1983 Oct 15;32(20):3053-8.

PMID: 6315015 [PubMed - indexed for MEDLINE]

☐ **8:** [Hjelmeland LM, Nebert DW, Osborne JC Jr.](#) [Related Articles](#), [Link](#)



Sulfobetaine derivatives of bile acids: nondenaturing surfactants for membrane biochemistry.

Anal Biochem. 1983 Apr 1;130(1):72-82.

PMID: 6869811 [PubMed - indexed for MEDLINE]

☐ **9:** [Guenthner TM, Negishi M, Nebert DW.](#) [Related Articles](#), [Link](#)



Separation of acetanilide and its hydroxylated metabolite and quantitative determination of "acetanilide 4-hydroxylase activity" by high-pressure liquid chromatography.

Anal Biochem. 1979 Jul 1;96(1):201-7. No abstract available.

PMID: 495983 [PubMed - indexed for MEDLINE]

☐ Display ☐ Summary ☐ Show ☐ 20 ☐ Sort by ☐ Send to ☐ Send to


[Write to the Help Desk](#)

[NCBI](#) | [NLM](#) | [NIH](#)

[Department of Health & Human Services](#)

[Privacy Statement](#) | [Freedom of Information Act](#) | [Disclaimer](#)

Mar 22 2005 12:17:35



All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals

Search PubMed for

Limits Preview/Index History Clipboard Details

Display Abstract Show 20 Sort by Send to Send to

About Entrez

All: 1 Review: 0

Text Version

1: Anal Biochem. 1983 Apr 1;130(1):72-

Related Article

Entrez PubMed

82:

Lir

Overview
Help | FAQ
Tutorial
New/Noteworthy
E-Utilities

Sulfobetaine derivatives of bile acids: nondenaturing surfactants for membrane biochemistry.


Hjelmeland LM, Nebert DW, Osborne JC Jr.

PubMed
Services
Journals
Database
MeSH Database
Single Citation
Matcher
Batch Citation
Matcher
Clinical Queries
LinkOut
My NCBI
(Cubby)

The syntheses of four new sulfobetaine derivatives of bile salts are presented, along with a general set of criteria for useful detergents in membrane biochemistry. Physical properties including the critical micelle concentration, aggregation number, partial specific volume, critical micellar temperature, uv-vis spectrum, and circular dichroism spectrum are examined for the new compounds. To examine the interaction of this class of compounds with macromolecules, one of these (CHAPS) was further studied. Circular dichroism spectra of apolipoprotein C-II were measured in the presence of varying concentrations of CHAPS to determine the effect of this compound on secondary structure. Gel-exclusion chromatography and sedimentation equilibrium studies of cytochrome P-450 in the presence of CHAPS were also performed to establish the ability of this detergent to disaggregate cytochrome P-450 to a monomeric/dimeric state.

Related
Resources
Order
Documents
NLM Catalog
NLM Gateway
TOXNET
Consumer Health
Clinical Alerts
ClinicalTrials.gov
PubMed Central

PMID: 6869811 [PubMed - indexed for MEDLINE]



All Databases

PubMed

Nucleotide

Protein

Genome

Structure

OMIM

PMC

Journal

Search PubMed for Hjelmeland

Limits

Preview/Index

History

Clipboard

Details

Show

500

Sort by

Send to

About Entrez

All: 128 Review: 7

Text Version

Items 1 - 128 of 128

One page

Entrez PubMed

☐ 1: Kinyanda E, Hjelmeland H, Musisi S.

Related Articles, Link

☐ Negative life events associated with deliberate self-harm in an African population in Uganda.

Crisis. 2005;26(1):4-11.

PMID: 15762078 [PubMed - in process]

☐ 2: Goudar RK, Shi Q, Hjelmeland MD, Keir ST, McLendon RE, Wikstrand CJ, Reese

Related Articles, Link

ED, Conrad CA, Traxler P, Lane HA, Reardon DA, Caveness WK, Wang XF, Bigner DD, Friedman HS, Rich JN.☐ Combination therapy of inhibitors of epidermal growth factor receptor/vascular endothelial growth factor receptor 2 (AEE788) and the mammalian target of rapamycin (RAD001) offers improved glioblastoma tumor growth inhibition.

Mol Cancer Ther. 2005 Jan;4(1):101-12.

PMID: 15657358 [PubMed - in process]

☐ 3: Ida H, Boylan SA, Weigel AL, Smit-McBride Z, Chao A, Gao J, Buchhoff P, Wistow G, Hjelmeland LM.

Related Articles, Link

☐ EST analysis of mouse retina and RPE/choroid cDNA libraries.

Mol Vis. 2004 Jul 6;10:439-44.

PMID: 15257269 [PubMed - indexed for MEDLINE]

☐ 4: Ida H, Ishibashi K, Reiser K, Hjelmeland LM, Handa JT.

Related Articles, Link

☐ Ultrastructural aging of the RPE-Bruch's membrane-choriocapillaris complex in the D-galactose-treated

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed

Services

Journals

Database

MeSH Database

Single Citation

Matcher

Batch Citation

Matcher

Clinical Queries

LinkOut

My NCBI

(Cubby)

Related

Resources

Order

Documents

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

mouse.

Invest Ophthalmol Vis Sci. 2004 Jul;45(7):2348-54.
PMID: 15223816 [PubMed - indexed for MEDLINE]

- **5:** Hjelmeland MD, Hjelmeland AB, Related Articles, Link
Sathornsumetee S, Reese ED, Herbstreith
MH, Laping NJ, Friedman HS, Bigner DD,
Wang XF, Rich JN.

☞ SB-431542, a small molecule transforming growth factor
beta-receptor antagonist, inhibits human glioma cell line
proliferation and motility.
Mol Cancer Ther. 2004 Jun;3(6):737-45.
PMID: 15210860 [PubMed - indexed for MEDLINE]

- **6:** Miyamura N, Ogawa T, Boylan S, Morse Related Articles, Link
LS, Handa JT, Hjelmeland LM.

☞ Topographic and age-dependent expression of heme
oxygenase-1 and catalase in the human retinal pigment
epithelium.
Invest Ophthalmol Vis Sci. 2004 May;45(5):1562-5.
PMID: 15111615 [PubMed - indexed for MEDLINE]

- **7:** Kinyanda E, Hjelmeland H, Musisi S. Related Articles, Link

☞ Deliberate self-harm as seen in Kampala, Uganda - a
case-control study.
Soc Psychiatry Psychiatr Epidemiol. 2004 Apr;39(4):318-25.
PMID: 15085335 [PubMed - indexed for MEDLINE]

- **8:** Hill SA, Hjelmeland B, Johannessen NM, Related Articles, Link
Irgens LM, Skjaerven R.

☞ Changes in parental risk behaviour after an information
campaign against sudden infant death syndrome (SIDS) in
Norway.
Acta Paediatr. 2004 Feb;93(2):250-4.
PMID: 15046283 [PubMed - indexed for MEDLINE]

- **9:** Xiao ZS, Hjelmeland AB, Quarles LD. Related Articles, Link

☞ Selective deficiency of the "bone-related" Runx2-II
unexpectedly preserves osteoblast-mediated
skeletogenesis.
J Biol Chem. 2004 May 7;279(19):20307-13. Epub 2004 Mar 7.
PMID: 15007057 [PubMed - indexed for MEDLINE]

- ☐ **10:** [Ida H, Boylan SA, Weigel AL, Hjelmeland](#) Related Articles, Link
[LM.](#)



Age-related changes in the transcriptional profile of mouse RPE/choroid.

Physiol Genomics. 2003 Nov 11;15(3):258-62.

PMID: 14519767 [PubMed - indexed for MEDLINE]

- ☐ **11:** [Weigel AL, Ida H, Boylan SA, Hjelmeland](#) Related Articles, Link
[LM.](#)



Acute hyperoxia-induced transcriptional response in the mouse RPE/choroid.

Free Radic Biol Med. 2003 Sep 1;35(5):465-74.

PMID: 12927596 [PubMed - indexed for MEDLINE]

- ☐ **12:** [Philp NJ, Wang D, Yoon H, Hjelmeland](#) Related Articles, Link
[LM.](#)



Polarized expression of monocarboxylate transporters in human retinal pigment epithelium and ARPE-19 cells.

Invest Ophthalmol Vis Sci. 2003 Apr;44(4):1716-21.

PMID: 12657613 [PubMed - indexed for MEDLINE]

- ☐ **13:** [Hjelmeland H, Knizek BL, Nordvik H.](#) Related Articles, Link



The communicative aspect of nonfatal suicidal behavior -are there gender differences?

Crisis. 2002;23(4):144-55.

PMID: 12617478 [PubMed - indexed for MEDLINE]

- ☐ **14:** [Rich JN, Shi Q, Hjelmeland M, Cummings TJ, Kuan CT, Bigner DD, Counter CM, Wang XF.](#) Related Articles, Link



Bone-related genes expressed in advanced malignancies induce invasion and metastasis in a genetically defined human cancer model.

J Biol Chem. 2003 May 2;278(18):15951-7. Epub 2003 Feb 17.

PMID: 12590137 [PubMed - indexed for MEDLINE]

- ☐ **15:** [Alizadeh M, Miyamura N, Handa JT, Hjelmeland LM.](#) Related Articles, Link



Human RPE cells express the FGFR2IIIc and FGFR3IIIc splice variants and FGF9 as a potential high affinity ligand.

Exp Eye Res. 2003 Feb;76(2):249-56.

PMID: 12565813 [PubMed - indexed for MEDLINE]

- **16:** Hjelmeland H, Hawton K, Nordvik H, Bille-Brahe U, De Leo D, Fekete S, Grad O, Haring C, Kerkhof JF, Lonnqvist J, Michel K, Renberg ES, Schmidtke A, Van Heeringen K, Wasserman D. Related Articles, Link

Why people engage in parasuicide: a cross-cultural study of intentions.

Suicide Life Threat Behav. 2002 Winter;32(4):380-93.

PMID: 12501963 [PubMed - indexed for MEDLINE]

- **17:** Bradney C, Hjelmeland M, Komatsu Y, Yoshida M, Yao TP, Zhuang Y. Related Articles, Link

Regulation of E2A activities by histone acetyltransferases in B lymphocyte development. J Biol Chem. 2003 Jan 24;278(4):2370-6. Epub 2002 Nov 14. PMID: 12435739 [PubMed - indexed for MEDLINE]

- **18:** Weigel AL, Handa JT, Hjelmeland LM. Related Articles, Link

Microarray analysis of H2O2-, HNE-, or tBH-treated ARPE-19 cells.

Free Radic Biol Med. 2002 Nov 15;33(10):1419-32.

PMID: 12419474 [PubMed - indexed for MEDLINE]

- **19:** Honda S, Hjelmeland LM, Handa JT. Related Articles, Link

Senescence associated beta galactosidase activity in human retinal pigment epithelial cells exposed to mild hyperoxia in vitro.

Br J Ophthalmol. 2002 Feb;86(2):159-62.

PMID: 11815340 [PubMed - indexed for MEDLINE]

- **20:** Wada M, Gelfman CM, Matsunaga H, Alizadeh M, Morse L, Handa JT, Hjelmeland LM. Related Articles, Link

Density-dependent expression of FGF-2 in response to oxidative stress in RPE cells in vitro.

Curr Eye Res. 2001 Sep;23(3):226-31.

PMID: 11803485 [PubMed - indexed for MEDLINE]

- **21:** Hulten A, Jiang GX, Wasserman D, Hawton K, Hjelmeland H, De Leo D, Ostamo A, Salander-Renberg E. Related Articles, Link

Schmidtke A.



Repetition of attempted suicide among teenagers in Europe: frequency, timing and risk factors.

Eur Child Adolesc Psychiatry. 2001 Sep;10(3):161-9.

PMID: 11596816 [PubMed - indexed for MEDLINE]

- ☐ **22:** Alizadeh M, Wada M, Gelfman CM, Handa JT, Hjelmeland LM. Related Articles, Link



Downregulation of differentiation specific gene expression by oxidative stress in ARPE-19 cells.

Invest Ophthalmol Vis Sci. 2001 Oct;42(11):2706-13.

PMID: 11581219 [PubMed - indexed for MEDLINE]

- ☐ **23:** Honda S, Farboud B, Hjelmeland LM, Handa JT. Related Articles, Link



Induction of an aging mRNA retinal pigment epithelial cell phenotype by matrix-containing advanced glycation end products in vitro.

Invest Ophthalmol Vis Sci. 2001 Sep;42(10):2419-25.

PMID: 11527959 [PubMed - indexed for MEDLINE]

- ☐ **24:** Boylan S, Honda S, Hjelmeland LM, Handa JT. Related Articles, Link



An optimized protocol for first strand cDNA synthesis from laser capture microdissected tissue.

Lab Invest. 2001 Aug;81(8):1167-9. No abstract available.

PMID: 11502868 [PubMed - indexed for MEDLINE]

- ☐ **25:** Honda S, Hjelmeland LM, Handa JT. Related Articles, Link



Oxidative stress--induced single-strand breaks in chromosomal telomeres of human retinal pigment epithelial cells in vitro.

Invest Ophthalmol Vis Sci. 2001 Aug;42(9):2139-44.

PMID: 11481283 [PubMed - indexed for MEDLINE]

- ☐ **26:** Honda S, Weigel A, Hjelmeland LM, Handa JT. Related Articles, Link



Induction of telomere shortening and replicative senescence by cryopreservation.

Biochem Biophys Res Commun. 2001 Mar 30;282(2):493-8.

PMID: 11401486 [PubMed - indexed for MEDLINE]

Miyamura N, Mishima K, Honda S,

- **27:** Aotaki-Keen AE, Morse LS, Handa JT, Hjelmeland LM. Related Articles, Link



Age and topographic variation of insulin-like growth factor-binding protein 2 in the human rpe.

Invest Ophthalmol Vis Sci. 2001 Jun;42(7):1626-30.

PMID: 11381070 [PubMed - indexed for MEDLINE]

- **28:** Hanrahan J, Pan L, Greenbaum S, Bradney C, Hjelmeland M, Dai M, Zhuang Y. Related Articles, Link



A genetic investigation of E2A function in lymphocyte development.

Immunol Res. 2000;22(2-3):211-22. Review.

PMID: 11339357 [PubMed - indexed for MEDLINE]

- **29:** Hjelmeland K, Adams W. Related Articles, Link



Fighting sudden cardiac arrest: it takes a community.

Occup Health Saf. 2001 Apr;70(4):34-6, 38. No abstract available.

PMID: 11326580 [PubMed - indexed for MEDLINE]

- **30:** De Leo D, Padoani W, Scocco P, Lie D, Bille-Brahe U, Arensman E, Hjelmeland H, Crepet P, Haring C, Hawton K, Lonnqvist J, Michel K, Pommereau X, Querejeta I, Phillipe J, Salander-Renberg E, Schmidtke A, Fricke S, Weinacker B, Tamesvary B, Wasserman D, Faria S. Related Articles, Link



Attempted and completed suicide in older subjects: results from the WHO/EURO Multicentre Study of Suicidal Behaviour.

Int J Geriatr Psychiatry. 2001 Mar;16(3):300-10.

PMID: 11288165 [PubMed - indexed for MEDLINE]

- **31:** Honda S, Hjelmeland LM, Handa JT. Related Articles, Link









The use of hyperoxia to induce chronic mild oxidative stress in RPE cells in vitro.

Mol Vis. 2001 Mar 14;7:63-70.

PMID: 11249881 [PubMed - indexed for MEDLINE]

- **32:** Hjelmeland H, Nordvik H, Bille-Brahe U, De Leo D, Kerkhof JF, Lonnqvist J, Michel K, Renberg ES, Schmidtke A, Wasserman D. Related Articles, Link

-  A cross-cultural study of suicide intent in parasuicide patients.
Suicide Life Threat Behav. 2000 Winter;30(4):295-303.
PMID: 11210055 [PubMed - indexed for MEDLINE]
- ☐ **33:** Yang M, Wang XG, Stout JT, Chen P, Related Articles, Link
Hjelmeland LM, Appukuttan B, Fong HK.
-  Expression of a recombinant human RGR opsin in Lentivirus-transduced cultured cells.
Mol Vis. 2000 Nov 18;6:237-42.
PMID: 11086144 [PubMed - indexed for MEDLINE]
- ☐ **34:** Alizadeh M, Gelfman CM, Bench SR, Related Articles, Link
Hjelmeland LM.
-  Expression and splicing of FGF receptor mRNAs during APRE-19 cell differentiation in vitro.
Invest Ophthalmol Vis Sci. 2000 Jul;41(8):2357-62.
PMID: 10892884 [PubMed - indexed for MEDLINE]
- ☐ **35:** Matsunaga H, Handa JT, Gelfman CM, Related Articles, Link
Hjelmeland LM.
-  The mRNA phenotype of a human RPE cell line at replicative senescence.
Mol Vis. 1999 Dec 29;5:39.
PMID: 10617776 [PubMed - indexed for MEDLINE]
- ☐ **36:** Hjelmeland LM, Cristofolo VJ, Funk W, Related Articles, Link
Rakoczy E, Katz ML.
-  Senescence of the retinal pigment epithelium.
Mol Vis. 1999 Nov 3;5:33. Review.
PMID: 10562657 [PubMed - indexed for MEDLINE]
- ☐ **37:** Jessen G, Jensen BF, Arensman E, Bille- Related Articles, Link
Brahe U, Crepet P, De Leo D, Hawton K,
Haring C, Hjelmeland H, Michel K,
Ostamo A, Salander-Renberg E,
Schmidtke A, Temesvary B, Wasserman
D.
-  Attempted suicide and major public holidays in Europe findings from the WHO/EURO Multicentre Study on Parasuicide.
Acta Psychiatr Scand. 1999 Jun;99(6):412-8.
PMID: 10408262 [PubMed - indexed for MEDLINE]

- **38:** Farboud B, Aotaki-Keen A, Miyata T, Hjelmeland LM, Handa JT. Related Articles, Link



Development of a polyclonal antibody with broad epitope specificity for advanced glycation endproducts and localization of these epitopes in Bruch's membrane of the aging eye.

Mol Vis. 1999 Jul 14;5:11.

PMID: 10407062 [PubMed - indexed for MEDLINE]

- **39:** Cao J, Mathews MK, McLeod DS, Merges C, Hjelmeland LM, Luty GA. Related Articles, Link



Angiogenic factors in human proliferative sickle cell retinopathy.

Br J Ophthalmol. 1999 Jul;83(7):838-46.

PMID: 10381672 [PubMed - indexed for MEDLINE]

- **40:** Mishima K, Handa JT, Aotaki-Keen A, Luty GA, Morse LS, Hjelmeland LM. Related Articles, Link



Senescence-associated beta-galactosidase histochemistry for the primate eye.

Invest Ophthalmol Vis Sci. 1999 Jun;40(7):1590-3.

PMID: 10359342 [PubMed - indexed for MEDLINE]

- **41:** Handa JT, Verzijl N, Matsunaga H, Aotaki-Keen A, Luty GA, te Koppele JM, Miyata T, Hjelmeland LM. Related Articles, Link



Increase in the advanced glycation end product pentosidine in Bruch's membrane with age.

Invest Ophthalmol Vis Sci. 1999 Mar;40(3):775-9.

PMID: 10067983 [PubMed - indexed for MEDLINE]

- **42:** Nessa J, Malterud K. Related Articles, Link



"Feeling your large intestines a bit bound": clinical interaction--talk and gaze.

Scand J Prim Health Care. 1998 Dec;16(4):211-5.

PMID: 9932313 [PubMed - indexed for MEDLINE]


- **43:** Matsunaga H, Handa JT, Aotaki-Keen A, Sherwood SW, West MD, Hjelmeland LM. Related Articles, Link




Beta-galactosidase histochemistry and telomere loss in senescent retinal pigment epithelial cells.

Invest Ophthalmol Vis Sci. 1999 Jan;40(1):197-202.
PMID: 9888444 [PubMed - indexed for MEDLINE]


- ☐ **44:** Hjelmeland LM. Related Articles, Link

 Senescence of the retinal pigmented epithelium.
Invest Ophthalmol Vis Sci. 1999 Jan;40(1):1-2. Review. No
abstract available.
PMID: 9888419 [PubMed - indexed for MEDLINE]


- ☐ **45:** Dunn KC, Marmorstein AD, Bonilha VL, Rodriguez-Boulan E, Giordano F, Hjelmeland LM. Related Articles, Link

 Use of the ARPE-19 cell line as a model of RPE
polarity: basolateral secretion of FGF5.
Invest Ophthalmol Vis Sci. 1998 Dec;39(13):2744-9.
PMID: 9856785 [PubMed - indexed for MEDLINE]


- ☐ **46:** Gelfman CM, Kelleher CM, Hjelmeland LM. Related Articles, Link

 Differentiation of retinal pigment epithelial cells in vitro
uncovers silencer activity in the FGF-5 gene promoter.
Exp Eye Res. 1998 Aug;67(2):151-62.
PMID: 9733582 [PubMed - indexed for MEDLINE]

- ☐ **47:** Chang AA, Morse LS, Handa JT, Morales RB, Tucker R, Hjelmeland L, Yannuzzi LA. Related Articles, Link







 Histologic localization of indocyanine green dye in
aging primate and human ocular tissues with clinical
angiographic correlation.
Ophthalmology. 1998 Jun;105(6):1060-8.
PMID: 9627657 [PubMed - indexed for MEDLINE]

- ☐ **48:** Handa JT, Reiser KM, Matsunaga H, Hjelmeland LM. Related Articles, Link

 The advanced glycation endproduct pentosidine induces
the expression of PDGF-B in human retinal pigment
epithelial cells.
Exp Eye Res. 1998 Apr;66(4):411-9.
PMID: 9593635 [PubMed - indexed for MEDLINE]

- ☐ **49:** Hjelmeland H, Ostamo A. Related Articles, Link

WHO/EURO Multicentre Study on Parasuicide.

-  Crisis. 1997;18(3):140-1. No abstract available.
PMID: 9455003 [PubMed - indexed for MEDLINE]
- ☐ **50:** Schneeberger SA, Hjelmeland LM, Tucker RP, Morse LS. Related Articles, Link
Vascular endothelial growth factor and fibroblast growth factor 5 are colocalized in vascular and avascular epiretinal membranes.
Am J Ophthalmol. 1997 Oct;124(4):447-54.
PMID: 9323936 [PubMed - indexed for MEDLINE]
-  Expression of fibroblast growth factor-5 by bovine choroidal endothelial cells in vitro.
Invest Ophthalmol Vis Sci. 1997 Sep;38(10):2073-80.
PMID: 9331271 [PubMed - indexed for MEDLINE]
- ☐ **51:** Keithahn MA, Aotaki-Keen AE, Schneeberger SA, Hjelmeland LM, Morse LS. Related Articles, Link
Expression of fibroblast growth factor-5 by bovine choroidal endothelial cells in vitro.
Invest Ophthalmol Vis Sci. 1997 Sep;38(10):2073-80.
PMID: 9331271 [PubMed - indexed for MEDLINE]
-  Expression of FGF5 in choroidal neovascular membranes associated with ARMD.
Curr Eye Res. 1997 Apr;16(4):396-9.
PMID: 9134330 [PubMed - indexed for MEDLINE]
- ☐ **52:** Kitaoka T, Morse LS, Schneeberger S, Ishigooka H, Hjelmeland LM. Related Articles, Link
Expression of FGF5 in choroidal neovascular membranes associated with ARMD.
Curr Eye Res. 1997 Apr;16(4):396-9.
PMID: 9134330 [PubMed - indexed for MEDLINE]
-  Apolipoprotein E in the subretinal fluid of rhegmatogenous and exudative retinal detachments.
Retina. 1997;17(1):38-43.
PMID: 9051841 [PubMed - indexed for MEDLINE]
- ☐ **53:** Schneeberger SA, Iwahashi CK, Hjelmeland LM, Davis PA, Morse LS. Related Articles, Link
Apolipoprotein E in the subretinal fluid of rhegmatogenous and exudative retinal detachments.
Retina. 1997;17(1):38-43.
PMID: 9051841 [PubMed - indexed for MEDLINE]
-  Parasuicide in the county of Sor-Trondelag, Norway. General epidemiology and psychological factors.
Soc Psychiatry Psychiatr Epidemiol. 1996 Sep;31(5):272-83.
PMID: 8909117 [PubMed - indexed for MEDLINE]
- ☐ **54:** Hjelmeland H, Bjerke T. Related Articles, Link
Parasuicide in the county of Sor-Trondelag, Norway. General epidemiology and psychological factors.
Soc Psychiatry Psychiatr Epidemiol. 1996 Sep;31(5):272-83.
PMID: 8909117 [PubMed - indexed for MEDLINE]
-  Fibrinolysis of experimental subretinal haemorrhage without removal using tissue plasminogen activator.
- ☐ **55:** Morse LS, Benner JD, Hjelmeland LM, Landers MB 3rd. Related Articles, Link
Fibrinolysis of experimental subretinal haemorrhage without removal using tissue plasminogen activator.

Br J Ophthalmol. 1996 Jul;80(7):658-62.
PMID: 8795382 [PubMed - indexed for MEDLINE]

- **56:** Campochiaro PA, Chang M, Ohsato M, Related Articles, Link
Vinores SA, Nie Z, Hjelmeland L,
Mansukhani A, Basilico C, Zack DJ.

Retinal degeneration in transgenic mice with
photoreceptor-specific expression of a dominant-
negative fibroblast growth factor receptor.
J Neurosci. 1996 Mar 1;16(5):1679-88.
PMID: 8774436 [PubMed - indexed for MEDLINE]

- **57:** Dunn KC, Aotaki-Keen AE, Putkey FR, Related Articles, Link
Hjelmeland LM.

ARPE-19, a human retinal pigment epithelial cell line
with differentiated properties.
Exp Eye Res. 1996 Feb;62(2):155-69.
PMID: 8698076 [PubMed - indexed for MEDLINE]

- **58:** Nielsen AS, Bille-Brahe U, Hjelmeland H, Related Articles, Link
Jensen B, Ostamo A, Salander-Renberg E,
Wasserman D.

Alcohol problems among suicide attempters in the
Nordic countries.
Crisis. 1996;17(4):157-66.
PMID: 9018904 [PubMed - indexed for MEDLINE]

- **59:** Hjelmeland H. Related Articles, Link

Repetition of parasuicide: a predictive study.
Suicide Life Threat Behav. 1996 Winter;26(4):395-404.
PMID: 9014269 [PubMed - indexed for MEDLINE]

- **60:** Hjelmeland H. Related Articles, Link

Verbally expressed intentions of parasuicide: II.
Prediction of fatal and nonfatal repetition.
Crisis. 1996;17(1):10-4.
PMID: 8768401 [PubMed - indexed for MEDLINE]

- **61:** Hjelmeland H, Bjerke T, Stiles TC. Related Articles, Link

[Parasuicide in Sor-Trondelag 1989-1992--clinical and
psychological characteristics]
Tidsskr Nor Laegeforen. 1995 Jun 10;115(15):1824-8.
Norwegian.

PMID: 7638829 [PubMed - indexed for MEDLINE]

- **62:** Nessa J. Related Articles, Link

From a medical consultation to a written text. 2.
Pragmatics and textlinguistics applied to medicine.
Scand J Prim Health Care. 1995 Jun;13(2):89-92.
PMID: 7569484 [PubMed - indexed for MEDLINE]

- **63:** Nessa J. Related Articles, Link

From a medical consultation to a written text. 1.
Transcribing the doctor-patient dialogue.
Scand J Prim Health Care. 1995 Jun;13(2):83-8.
PMID: 7569483 [PubMed - indexed for MEDLINE]

- **64:** Bjerke T, Hjelmeland H, Jorgensen PT, Stiles TC, Skjaervold L. Related Articles, Link

[Parasuicide in Sør-Trondelag 1989-92. Rates and sociodemographic characteristics]
Tidsskr Nor Lægeforen. 1995 Apr 20;115(10):1221-4.
Norwegian.
PMID: 7754488 [PubMed - indexed for MEDLINE]

- **65:** Olin KL, Morse LS, Murphy C, Paul-Murphy J, Line S, Bellhorn RW, Hjelmeland LM, Keen CL. Related Articles, Link

Trace element status and free radical defense in elderly rhesus macaques (*Macaca mulatta*) with macular druser
Proc Soc Exp Biol Med. 1995 Apr;208(4):370-7.
PMID: 7700885 [PubMed - indexed for MEDLINE]

- **66:** Hou YJ, Yu AC, Garcia JM, Aotaki-Keen A, Lee YL, Eng LF, Hjelmeland LJ, Menon VK. Related Articles, Link


Astrogliosis in culture. IV. Effects of basic fibroblast growth factor.
J Neurosci Res. 1995 Feb 15;40(3):359-70.
PMID: 7745630 [PubMed - indexed for MEDLINE]

- **67:** Hjelmeland H. Related Articles, Link


Verbally expressed intentions of parasuicide: I. characteristics of patients with various intentions.
Crisis. 1995;16(4):176-81.
PMID: 8919979 [PubMed - indexed for MEDLINE]

- **68:** Benner JD, Galustian JC, Lim M, Related Articles, Link
Hjelmeland L, Landers MB 3rd, Morse LS.
- ☞ Comparison of techniques for transscleral diode photocoagulation in the rabbit.
Retina. 1995;15(3):253-60.
PMID: 7569354 [PubMed - indexed for MEDLINE]
- **69:** Olli JJ, Hjelmeland K, Krogdahl A. Related Articles, Link
- ☞ Soybean trypsin inhibitors in diets for Atlantic salmon (*Salmo salar*, L): effects on nutrient digestibilities and trypsin in pyloric caeca homogenate and intestinal content.
Comp Biochem Physiol A Physiol. 1994 Dec;109(4):923-8.
PMID: 7828032 [PubMed - indexed for MEDLINE]
- **70:** Cooper JG, Bergrem H, Lassen J. Related Articles, Link
- ☞ [Hemolytic-uremic syndrome caused by verotoxin-producing *Escherichia coli* intestinal infection]
Tidsskr Nor Laegeforen. 1994 Nov 10;114(27):3179-81.
Norwegian.
PMID: 7809868 [PubMed - indexed for MEDLINE]
- **71:** Cohen SM, Olin KL, Feuer WJ, Related Articles, Link
Hjelmeland L, Keen CL, Morse LS.
- ☞ Low glutathione reductase and peroxidase activity in age-related macular degeneration.
Br J Ophthalmol. 1994 Oct;78(10):791-4.
PMID: 7803358 [PubMed - indexed for MEDLINE]
- **72:** Kitaoka T, Aotaki-Keen AE, Hjelmeland Related Articles, Link
LM.
- ☞ Distribution of FGF-5 in the rhesus macaque retina.
Invest Ophthalmol Vis Sci. 1994 Jul;35(8):3189-98. Erratum in Invest Ophthalmol 1995 May;36(6):976.
PMID: 8045713 [PubMed - indexed for MEDLINE]
- **73:** Kitaoka T, Sharif M, Hanley MR, Related Articles, Link
Hjelmeland LM.
- ☞ Expression of the MAS proto-oncogene in the retinal pigment epithelium of the rhesus macaque.
Curr Eye Res. 1994 May;13(5):345-51.
PMID: 8055698 [PubMed - indexed for MEDLINE]


- ☐ **74:** Bost LM, Aotaki-Keen AE, Hjelmeland LM. Related Articles, Link

 Cellular adhesion regulates bFGF gene expression in human retinal pigment epithelial cells.
Exp Eye Res. 1994 May;58(5):545-52.
PMID: 7925691 [PubMed - indexed for MEDLINE]


- ☐ **75:** Benner JD, Hay A, Landers MB 3rd, Hjelmeland LM, Morse LS. Related Articles, Link

 Fibrinolytic-assisted removal of experimental subretina hemorrhage within seven days reduces outer retinal degeneration.
Ophthalmology. 1994 Apr;101(4):672-81.
PMID: 8152762 [PubMed - indexed for MEDLINE]


- ☐ **76:** Hjelmeland H, Stiles TC. Related Articles, Link

 [Diffuse suffering. Fibromyalgia--just hysterical women?]
Sykepl Fag. 1993 Dec 7;81(6):16-9. Norwegian. No abstract available.
PMID: 8275109 [PubMed - indexed for MEDLINE]


- ☐ **77:** Kitaoka T, Bost LM, Ishigooka H, Aotaki-Keen AE, Hjelmeland LM. Related Articles, Link

 Increasing cell density down-regulates the expression of acidic FGF by human RPE cells in vitro.
Curr Eye Res. 1993 Nov;12(11):993-9.
PMID: 7508360 [PubMed - indexed for MEDLINE]

- ☐ **78:** Benner JD, Magliocco M, Toth CA, Hjelmeland LM, Landers MB 3rd, Morse LS. Related Articles, Link

 A glass micropipette holder for ophthalmic surgical procedures.
Am J Ophthalmol. 1993 Oct 15;116(4):511-3. No abstract available.
PMID: 8213990 [PubMed - indexed for MEDLINE]

- ☐ **79:** Ishigooka H, Kitaoka T, Boutilier SB, Bost LM, Aotaki-Keen AE, Tablin F, Hjelmeland LM. Related Articles, Link

 Developmental expression of bFGF in the bovine retina

Invest Ophthalmol Vis Sci. 1993 Aug;34(9):2813-23.
PMID: 8344803 [PubMed - indexed for MEDLINE]

☐ **80:** Bratveit A, Nessa J. Related Articles, Link

☐ [Compliance--a problematic concept]
Tidsskr Nor Laegeforen. 1993 Mar 30;113(9):1050-1.
Norwegian. No abstract available.
PMID: 8493665 [PubMed - indexed for MEDLINE]

☐ **81:** Bost LM, Hjelmeland LM. Related Articles, Link

☐ Cell density regulates differential production of bFGF transcripts.
Growth Factors. 1993;9(3):195-203.
PMID: 8274297 [PubMed - indexed for MEDLINE]

☐ **82:** Bost LM, Aotaki-Keen AE, Hjelmeland LM. Related Articles, Link

☐ Coexpression of FGF-5 and bFGF by the retinal pigment epithelium in vitro.
Exp Eye Res. 1992 Nov;55(5):727-34.
PMID: 1478282 [PubMed - indexed for MEDLINE]

☐ **83:** Benner JD, Huang M, Morse LS, Hjelmeland LM, Landers MB 3rd. Related Articles, Link

☐ Comparison of photocoagulation with the argon, krypton, and diode laser indirect ophthalmoscopes in rabbit eyes.
Ophthalmology. 1992 Oct;99(10):1554-63.
PMID: 1454322 [PubMed - indexed for MEDLINE]

☐ **84:** Connolly SE, Hjelmeland LM, LaVail MM. Related Articles, Link


☐ Immunohistochemical localization of basic fibroblast growth factor in mature and developing retinas of normal and RCS rats.
Curr Eye Res. 1992 Oct;11(10):1005-17.
PMID: 1451525 [PubMed - indexed for MEDLINE]

☐ **85:** Ishigooka H, Aotaki-Keen AE, Hjelmeland LM. Related Articles, Link

☐ Subcellular localization of bFGF in human retinal pigment epithelium in vitro.
Exp Eye Res. 1992 Aug;55(2):203-14.


PMID: 1426056 [PubMed - indexed for MEDLINE]

- ☐ **86:** Benner JD, Magliocco MT, Toth CA, Hay A, Hjelmeland LM, Landers MB 3rd, Morse LS. Related Articles, Link

 Stainless steel micropipette for subretinal surgery.
Am J Ophthalmol. 1992 Jun 15;113(6):716-8. No abstract available.

PMID: 1598968 [PubMed - indexed for MEDLINE]


- ☐ **87:** Hjelmeland LM, Stewart MW, Li J, Toth CA, Burns MS, Landers MB 3rd. Related Articles, Link

 An experimental model of ectropion uveae and iris neovascularization in the cat.

Invest Ophthalmol Vis Sci. 1992 Apr;33(5):1796-803.

PMID: 1373124 [PubMed - indexed for MEDLINE]


- ☐ **88:** Martins-Green M, Aotaki-Keen A, Hjelmeland LM, Bissell MJ. Related Articles, Link

 The 9E3 protein: immunolocalization in vivo and evidence for multiple forms in culture.

J Cell Sci. 1992 Mar;101 (Pt 3):701-7.

PMID: 1325984 [PubMed - indexed for MEDLINE]


- ☐ **89:** Toth CA, Benner JD, Hjelmeland LM, Landers MB 3rd, Morse LS. Related Articles, Link

 Ultramicrosurgical removal of subretinal hemorrhage in cats.

Am J Ophthalmol. 1992 Feb 15;113(2):175-82.

PMID: 1550185 [PubMed - indexed for MEDLINE]


- ☐ **90:** McClintock JT, Chan IJ, Thaker SR, Katial A, Taub FE, Aotaki-Keen AE, Hjelmeland LM. Related Articles, Link

 Detection of c-sis proto-oncogene transcripts by direct enzyme-labeled cDNA probes and in situ hybridization.

In Vitro Cell Dev Biol. 1992 Feb;28A(2):102-8.

PMID: 1537750 [PubMed - indexed for MEDLINE]

- ☐ **91:** Hjelmeland LM, Li JW, Toth CA, Landers MB 3rd. Related Articles, Link

 Antifibrotic and uveitogenic properties of gamma interferon in the rabbit eye.

Graefes Arch Clin Exp Ophthalmol. 1992;230(1):84-90.
PMID: 1547974 [PubMed - indexed for MEDLINE]

□ **92:** Nessa J. Related Articles, Link



[Man as a symbolic animal--symptoms as symbolic interaction]

Tidsskr Nor Laegeforen. 1991 Dec 10;111(30):3643-6. Review Norwegian.

PMID: 1723540 [PubMed - indexed for MEDLINE]

□ **93:** Benner JD, Morse LS, Toth CA, Landers MB 3rd, Hjelmeland LM. Related Articles, Link



Evaluation of a commercial recombinant tissue-type plasminogen activator preparation in the subretinal space of the cat.

Arch Ophthalmol. 1991 Dec;109(12):1731-6.

PMID: 1841586 [PubMed - indexed for MEDLINE]

□ **94:** Nessa J. Related Articles, Link



[Physicians and pharmaceutical consultants]

Tidsskr Nor Laegeforen. 1991 Sep 20;111(22):2722-3.

Norwegian. No abstract available.

PMID: 1948861 [PubMed - indexed for MEDLINE]

□ **95:** Hanneken A, de Juan E Jr, Luttly GA, Fox GM, Schiffer S, Hjelmeland LM. Related Articles, Link



Altered distribution of basic fibroblast growth factor in diabetic retinopathy.

Arch Ophthalmol. 1991 Jul;109(7):1005-11.

PMID: 2064554 [PubMed - indexed for MEDLINE]

□ **96:** Toth CA, Morse LS, Hjelmeland LM, Landers MB 3rd. Related Articles, Link



Fibrin directs early retinal damage after experimental subretinal hemorrhage.

Arch Ophthalmol. 1991 May;109(5):723-9.

PMID: 2025175 [PubMed - indexed for MEDLINE]

□ **97:** Aotaki-Keen AE, Harvey AK, de Juan E, Hjelmeland LM. Related Articles, Link



Primary culture of human retinal glia.

Invest Ophthalmol Vis Sci. 1991 May;32(6):1733-8.

PMID: 1903364 [PubMed - indexed for MEDLINE]

- ❑ **98:** Vinorees SA, Campochiaro PA, McGehee R, Orman W, Hackett SF, Hjelmeland LM. Related Articles, Link

Ultrastructural and immunocytochemical changes in retinal pigment epithelium, retinal glia, and fibroblasts in vitreous culture.

Invest Ophthalmol Vis Sci. 1990 Dec;31(12):2529-45.

PMID: 1702409 [PubMed - indexed for MEDLINE]

- ❑ **99:** Ritter JK, Sheen YY, Owens IS. Related Articles, Link

Cloning and expression of human liver UDP-glucuronosyltransferase in COS-1 cells. 3,4-catechol estrogens and estriol as primary substrates.

J Biol Chem. 1990 May 15;265(14):7900-6.

PMID: 2159463 [PubMed - indexed for MEDLINE]

- ❑ **100:** Hjelmeland LM. Related Articles, Link

Removal of detergents from membrane proteins. Methods Enzymol. 1990;182:277-82. No abstract available. PMID: 2314241 [PubMed - indexed for MEDLINE]

- ❑ **101:** Hjelmeland LM. Related Articles, Link

Solubilization of native membrane proteins. Methods Enzymol. 1990;182:253-64. No abstract available. PMID: 2156128 [PubMed - indexed for MEDLINE]

- ❑ **102:** Campochiaro PA, Sugg R, Grotendorst G, Hjelmeland LM. Related Articles, Link

Retinal pigment epithelial cells produce PDGF-like proteins and secrete them into their media.

Exp Eye Res. 1989 Aug;49(2):217-27.

PMID: 2767169 [PubMed - indexed for MEDLINE]

- ❑ **103:** Hanneken A, Luttly GA, McLeod DS, Robey F, Harvey AK, Hjelmeland LM. Related Articles, Link

Localization of basic fibroblast growth factor to the developing capillaries of the bovine retina.

J Cell Physiol. 1989 Jan;138(1):115-20.

PMID: 2910880 [PubMed - indexed for MEDLINE]

- ❑ **104:** Bjelland S, Hjelmeland K, Volden G. Related Articles, Link

Degradation of human epidermal keratin by cod trypsin and extracts of fish intestines.

Arch Dermatol Res. 1989;280(8):469-73.

PMID: 2465741 [PubMed - indexed for MEDLINE]

- ☐ **105:** de Juan E, Dickson JS, Hjelmeland L. Related Articles, Link



Serum is chemotactic for retinal-derived glial cells.

Arch Ophthalmol. 1988 Jul;106(7):986-90.

PMID: 3390062 [PubMed - indexed for MEDLINE]

- ☐ **106:** Hjelmeland LM, Harvey AK. Related Articles, Link



Growth factors: soluble mediators of wound repair and ocular fibrosis.

Birth Defects Orig Artic Ser. 1988;24(1):87-102. Review. No abstract available.

PMID: 3052614 [PubMed - indexed for MEDLINE]

- ☐ **107:** Harvey AK, Roberge F, Hjelmeland LM. Related Articles, Link



Chemotaxis of rat retinal glia to growth factors found in repairing wounds.

Invest Ophthalmol Vis Sci. 1987 Jul;28(7):1092-9.

PMID: 3496317 [PubMed - indexed for MEDLINE]

- ☐ **108:** Espelid S, Hjelmeland K, Jorgensen T. Related Articles, Link



The specificity of Atlantic salmon antibodies made against the fish pathogen *Vibrio salmonicida*, establishing the surface protein VS-P1 as the dominating antigen.

Dev Comp Immunol. 1987 Summer;11(3):529-37.

PMID: 3678557 [PubMed - indexed for MEDLINE]

- ☐ **109:** Hjelmeland LM. Related Articles, Link



The design and synthesis of detergents for membrane biochemistry.

Methods Enzymol. 1986;124:135-64. No abstract available.

PMID: 3713521 [PubMed - indexed for MEDLINE]

- ☐ **110:** Bressler JP, Grotendorst GR, Levitov C, Hjelmeland LM. Related Articles, Link



Chemotaxis of rat brain astrocytes to platelet derived growth factor.

Brain Res. 1985 Oct 7;344(2):249-54.

PMID: 3899281 [PubMed - indexed for MEDLINE]

- ☐ **111:** Mackenzie PI, Hjelmeland LM, Owens Related Articles, Link

IS.



Purification and immunochemical characterization of :
low-pI form of UDP glucuronosyltransferase from
mouse liver.

Arch Biochem Biophys. 1984 Jun;231(2):487-97.
PMID: 6428319 [PubMed - indexed for MEDLINE]

☐ **112:** Hjelmeland LM, Chrambach A. Related Articles, Link



Solubilization of functional membrane proteins.
Methods Enzymol. 1984;104:305-18. No abstract available.
PMID: 6232441 [PubMed - indexed for MEDLINE]

☐ **113:** Hjelmeland LM, Klee WA, Osborne JC Related Articles, Link
Jr.



A new class of nonionic detergents with a gluconamid
polar group.

Anal Biochem. 1983 Apr 15;130(2):485-90.
PMID: 6869837 [PubMed - indexed for MEDLINE]

☐ **114:** Hjelmeland LM, Nebert DW, Osborne JC Related Articles, Link
Jr.



Sulfobetaine derivatives of bile acids: nondenaturing
surfactants for membrane biochemistry.

Anal Biochem. 1983 Apr 1;130(1):72-82.
PMID: 6869811 [PubMed - indexed for MEDLINE]

☐ **115:** Bitonti AJ, Moss J, Hjelmeland L, Related Articles, Link
Vaughan M.



Resolution and activity of adenylate cyclase
components in a zwitterionic cholate derivative [3-[(3-
cholamidopropyl) dimethylammonio]-1-
propanesulfonate].

Biochemistry. 1982 Jul 20;21(15):3650-3.
PMID: 7115690 [PubMed - indexed for MEDLINE]







☐ **116:** Evarts RP, Haliday E, Negishi M, Related Articles, Link
Hjelmeland LM.



Induction of microsomal dimethylnitrosamine
demethylase by pyrazole.



Biochem Pharmacol. 1982 Apr 1;31(7):1245-9.
PMID: 7092919 [PubMed - indexed for MEDLINE]

Hjelmeland K, Raa J.

- ☐ **117:** Related Articles, Link
 Characteristics of two trypsin type isozymes isolated from the arctic fish capelin (*Mallotus villosus*).
Comp Biochem Physiol B. 1982;71(4):557-62.
PMID: 7083813 [PubMed - indexed for MEDLINE]
- ☐ **118:** Nebert DW, Negishi M, Lang MA, Hjelmeland LM, Eisen HJ. Related Articles, Link
 The Ah locus, a multigene family necessary for survival in a chemically adverse environment: comparison with the immune system.
Adv Genet. 1982;21:1-52. Review. No abstract available.
PMID: 7036691 [PubMed - indexed for MEDLINE]
- ☐ **119:** Nakaya S, Watkins PA, Bitonti AJ, Hjelmeland LM, Moss J, Vaughan M. Related Articles, Link
 GTP stabilization of adenylate cyclase activated and ADP-ribosylated by cholera toxin.
Biochem Biophys Res Commun. 1981 Sep 16;102(1):66-74.
No abstract available.
PMID: 7306174 [PubMed - indexed for MEDLINE]
- ☐ **120:** Nebert DW, Eisen HJ, Negishi M, Lang MA, Hjelmeland LM, Okey AB. Related Articles, Link
 Genetic mechanisms controlling the induction of polysubstrate monooxygenase (P-450) activities.
Annu Rev Pharmacol Toxicol. 1981;21:431-62. Review. No abstract available.
PMID: 7016012 [PubMed - indexed for MEDLINE]
- ☐ **121:** Hjelmeland LM. Related Articles, Link
 A nondenaturing zwitterionic detergent for membrane biochemistry: design and synthesis.
Proc Natl Acad Sci U S A. 1980 Nov;77(11):6368-70.
PMID: 6935651 [PubMed - indexed for MEDLINE]
- ☐ **122:** Simonds WF, Koski G, Streety RA, Hjelmeland LM, Klee WA. Related Articles, Link
 Solubilization of active opiate receptors.
Proc Natl Acad Sci U S A. 1980 Aug;77(8):4623-7.
PMID: 6254034 [PubMed - indexed for MEDLINE]
- ☐ **123:** Hjelmeland LM, Nebert DW, Chrambach Related Articles, Link

A.

- ☐ Electrofocusing of integral membrane proteins in mixtures of zwitterionic and nonionic detergents. Anal Biochem. 1979 May;95(1):201-8. No abstract available. PMID: 495956 [PubMed - indexed for MEDLINE]
- ☐ **124:** Hjelmeland LM, Aronow L, Trudell JR. Related Articles, Link
☐ Intramolecular determination of substituent effects in hydroxylations catalyzed by cytochrome P-450. Mol Pharmacol. 1977 Jul;13(4):634-9. No abstract available. PMID: 887073 [PubMed - indexed for MEDLINE]
- ☐ **125:** Loew GH, Kert CJ, Hjelmeland LM, Kirchner RF. Related Articles, Link
☐ Active site models of horseradish peroxidase compound I and a cytochrome P-450 analogue: electronic structure and electric field gradients. J Am Chem Soc. 1977 May 11;99(10):3534-6. No abstract available. PMID: 853195 [PubMed - indexed for MEDLINE]
- ☐ **126:** Hjelmeland LM, Loew GH. Related Articles, Link
☐ The electronic structure of chromyl chloride: a functional model for cytochrome P-450. J Am Chem Soc. 1977 May 11;99(10):3514-5. No abstract available. PMID: 853192 [PubMed - indexed for MEDLINE]
- ☐ **127:** Hjelmeland LM, Aronow L, Trudell JR. Related Articles, Link
☐ Intramolecular determination of primary kinetic isotope effects in hydroxylations catalyzed by cytochrome P-450. Biochem Biophys Res Commun. 1976 May 23;76(2):541-9. No abstract available. PMID: 1027445 [PubMed - indexed for MEDLINE]
- ☐ **128:** Loew G, Motulsky H, Trudell J, Cohen E, Hjelmeland L. Related Articles, Link
☐ Quantum chemical studies of the metabolism of the inhalation anesthetics methoxyflurane, enflurane, and isoflurane. Mol Pharmacol. 1974 May;10(3):406-18. No abstract available.



All Databases PubMed Nucleotide Protein Genome Structure OMIM PMC Journals

Search PubMed for

Limits Preview/Index History Clipboard Details

Display Abstract Show 20 Sort by Send to Send to

About Entrez

All: 1 Review: 0

Text Version

Entrez PubMed

1: Proc Natl Acad Sci U S A. 1980 Nov;77
(11):6368-70.

Related Article

Lir

FREE full text article
in PubMed Central

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

A nondenaturing zwitterionic detergent for membrane biochemistry: design and synthesis.

Hjelmeland LM.

The synthesis and evaluation of a new detergent that is a zwitterionic derivative of cholic acid is presented. This detergent combines the useful properties of both the sulfobetaine-type detergents and the bile salt anions. The new detergent proved to be effective at solubilizing membrane proteins in a nondenatured state.

PMID: 6935651 [PubMed - indexed for MEDLINE]

PubMed

Services

Journals

Database

MeSH Database

Single Citation

Matcher

Batch Citation

Matcher

Clinical Queries

LinkOut

My NCBI

(Cubby)

Display Abstract Show 20 Sort by Send to Send to

Related

Resources

Order

Documents

NLM Catalog

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central